

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/765,202	01/28/2004	James P. Dunyak	MIT-0002	7630	
23353 75	90 05/31/2006		EXAMINER		
RADER FISH LION BUILDIN	MAN & GRAUER F	ODOM, CURTIS B			
	REET N.W., SUITE 50	1	ART UNIT	PAPER NUMBER	
WASHINGTON, DC 20036			2611		
			DATE MAILED: 05/31/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	_			
Supplemental	0/765,202 DUNYAK ET AL.					
Notice of Allowability	Examiner	Art Unit				
	Condin D. Odano	2624				
	Curtis B. Odom	2634				
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS nerewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due cour	se. THIS			
1. This communication is responsive to 2/17/2006.						
2. X The allowed claim(s) is/are 57-60,62-64,66-70,72-74,76 and	nd 89-104.					
 Acknowledgment is made of a claim for foreign priority un a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 						
2. Certified copies of the priority documents have been received in Application No						
3. ☐ Copies of the certified copies of the priority do	• •		from the			
International Bureau (PCT Rule 17.2(a)).		0 ,,				
* Certified copies not received:						
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the require	ments			
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			CE OF			
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.					
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached						
1) hereto or 2) to Paper No./Mail Date						
(b) including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the O	ffice action of				
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawin he header according to 37 CFR 1.121(o	igs in the front (not the bac i).	k) of			
 DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT 	SIT OF BIOLOGICAL MATERIAL IN FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. Note AL MATERIAL.	the			
: : : : :						
Attachment(s)						
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-15	(2)			
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary					
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Dat 08), 7. ⊠ Examiner's Amendr					
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowar	ice			
of Biological Material	9.					
:						

Application/Control Number: 10/765,202 Page 2

Art Unit: 2634

SUPPLEMENTAL EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with

May 15, 2006 on Christopher Tobin.

The application has been amended as follows:

Claim 72 (Currently Amended) The apparatus of claim 67, wherein the interpolated

signature waveforms are used to update the symbol estimate for the given user at the current sub-

symbol interval and determine the interference contribution for individual ones of the plurality of

users in the next sub-symbol interval.

EXAMINER'S STATEMENTS FOR REASONS OF ALLOWANCE

2. Claims 57-60, 62-64, 66-70, 72-74, 76, and 89-104 are allowable over prior are

references because related references do not disclose interpolating signature waveforms for a

plurality of users, using the interpolated waveforms to calculate a symbol estimate at a current

sub-symbol interval by determining a current interference estimate for a current sub-symbol

Art Unit: 2634

interval by combining interference contributions for the plurality of users corresponding to a previous sub-symbol interval, performing parallel interference cancellation for a given user signal, and updating the symbol estimate for a given user at a sub-symbol interval using the interference cancelled signal.

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Curtis B. Odom whose telephone number is 571-272-3046. The examiner can normally be reached on Monday- Friday, 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on 571-272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/765,202

Art Unit: 2634

Curtis Odom May 25, 2002 Khomhoon of Fran 05/24/2006 Primary Examiner KHANH TRAN